

T10 DROP CABLE SUMMARY

TIMES FIBER COMMUNICATIONS, INC.®

1-800-677-2288



NUMERICAL INDEX

Series	Construction	Part Number	MI	Page
Headend Cable		SCS (Silver Plated CC Steel)		
59HE	Single, 95%-95%, CATV (UL)	T59SCSQ95/95-VBV	02240V	57
59HE	Single, 95%-95%, Colors, CATV (UL)	T59SCSQ95/95-VCV	02241V	57
59 Series Cable				
59	Single, 53%	T5953-VB	02345	40
59	Single, 53%, CATV (UL)	T5953-VBV	02345V	40
59	Single, 53%, Colors	T5953-VC	02370	40
59	Single, 53%, Colors, CATV (UL)	T5953-VCV	02370V	40
59	Single Messengered, 53%	T5953-VB-051M	02347	40
59	Single, Flooded, 53%	T5953-FVB	02374	40
59	Single, Flooded, Polyethylene Jkt., 53%	T5953-FEB	02375	40
59	Single, lifeTime™, 53%	T5953-LTVB	32345	40
59	Single, lifeTime™, 53%, CATV (UL)	T5953-LTVBV	32345V	41
59	Single Messengered, lifeTime™, 53%	T5953-LTVB-051M	32347	40
59	Siamese, lifeTime™, 53%	T5953SIAM-LTVB	32348	40
59	Siamese, lifeTime™, 53%, CATV (UL)	T5953SIAM-LTVBV	32348V	41
59	Siamese Messengered, lifeTime™, 53%	T5953SIAM-LTVB-072M	32350	40
59	Siamese, 53%	T5953SIAM-VB	02348	40
59	Siamese, 53%, CATV (UL)	T5953SIAM-VBV	02348V	40
59	Siamese, 53%, Colors	T5953SIAM-VC	02355	40
59	Siamese, 53%, Colors, CATV (UL)	T5953SIAM-VCV	02355V	40
59	Siamese Messengered, 53%	T5953SIAM-VB-072M	02350	40
59	Siamese Flooded, 53%	T5953SIAM-FVB	02352	40
59	Single, 67%	T5967-VB	02183	40
59	Single, 67%, CATV (UL)	T5967-VBV	02183V	40
59	Single, 67%, CATVR (UL)	T5967-VBR	02183R	41
59	Single, 67%, Colors	T5967-VC	02184	40
59	Single, 67%, Colors, CATV (UL)	T5967-VCV	02184V	40
59	Single Messengered, 67%	T5967-VB-051M	02185	40
59	Single Flooded, 67%	T5967-FVB	02186	40
59	Single Flooded, Polyethylene Jkt., 67%	T5967-FEB	02315	40
59	Single, lifeTime™, 67%	T5967-LTVB	32183	40
59	Single, lifeTime™, 67%, CATV (UL)	T5967-LTVBV	32183V	41
59	Single, lifeTime™, 67%, CATVR (UL)	T5967-LTVBR	32183R	41
59	Single, lifeTime™, 67%, Colors, CATV (UL)	T5967-LTVCV	32184V	41
59	Single Messengered, lifeTime™, 67%	T5967-LTVB-051M	32185	40
59	Siamese, lifeTime™, 67%	T5967SIAM-LTVB	32316	40
59	Siamese, lifeTime™, 67%, CATV (UL)	T5967SIAM-LTVBV	32316V	41
59	Siamese, lifeTime™, 67%, CATVR (UL)	T5967SIAM-LTVBR	32316R	41
59	Siamese Messengered, lifeTime™, 67%	T5967SIAM-LTVB-072M	32317	40
59	Siamese, 67%	T5967SIAM-VB	02316	40
59	Siamese, 67%, CATV (UL)	T5967SIAM-VBV	02316V	40
59	Siamese, 67%, CATVR (UL)	T5967SIAM-VBR	02316R	41
59	Siamese, 67%, Colors	T5967SIAM-VC	02319	40
59	Siamese, 67%, Colors, CATV (UL)	T5967SIAM-VCV	02319V	40
59	Siamese Messengered, 67%	T5967SIAM-VB-072M	02317	40
59	Siamese Flooded, 67%	T5967SIAM-FVB	02309	40
59	Single Flooded, Polyethylene Jkt., 53%-34%	T59Q53/34-FEB	02215	40
59	Single, 53%-34%	T59Q53/34-VB	02245	40
59	Single, 53%-34%, CATV (UL)	T59Q53/34-VBV	02245V	40
59	Single, 53%-34%, CATVR (UL)	T59Q53/34-VBR	02245R	41
59	Single, 53%-34%, Colors	T59Q53/34-VC	02270	40
59	Single, 53%-34%, Colors, CATV (UL)	T59Q53/34-VCV	02270V	40
59	Single Messengered, 53%-34%	T59Q53/34-VB-051M	02247	40



NUMERICAL INDEX

Series	Construction	Part Number	MI	Page
59	Single Flooded, 53%-34%	T59Q53/34-FVB	02274	40
59	Single, lifeTime™, 53%-34%	T59Q53/34-LTVB	32245	40
59	Single, lifeTime™, 53%-34%, CATV (UL)	T59Q53/34-LTVBV	32245V	41
59	Single, lifeTime™, 53%-34%, CATVR (UL)	T59Q53/34-LTVBR	32245R	41
59	Single Messengered, lifeTime™, 53%-34%	T59Q53/34-LTVB-051M	32247	40
59	Siamese, lifeTime™, 53%-34%	T59Q53/34SIAM-LTVB	32248	40
59	Siamese, lifeTime™, 53%-34%, CATV (UL)	T59Q53/34SIAM-LTVBV	32248V	41
59	Siamese Messengered, lifeTime™, 53%-34%	T59Q53/34SIAM-LTVB-072M	32250	40
59	Siamese, 53%-34%	T59Q53/34SIAM-VB	02248	40
59	Siamese, 53%-34%, CATV (UL)	T59Q53/34SIAM-VBV	02248V	40
59	Siamese, 53%-34%, Colors	T59Q53/34SIAM-VC	02255	40
59	Siamese, 53%-34%, Colors, CATV (UL)	T59Q53/34SIAM-VCV	02255V	40
59	Siamese Messengered, 53%-34%	T59Q53/34SIAM-VB-072M	02250	40
59	Siamese Flooded, 53%-34%	T59Q53/34SIAM-FVB	02252	40
59	Single, 95%	T5995-VB	02545	40
59	Single, 95%, CATV (UL)	T5995-VBV	02545V	40
59	Single, 95%, Colors	T5995-VC	02570	40
59	Single, 95%, Colors, CATV (UL)	T5995-VCV	02570V	40
59	Single Messengered, 95%	T5995-VB-051M	02547	40
59	Single Flooded, 95%	T5995-FVB	02574	40
59	Single Flooded, Polyethylene Jkt., 95%	T5995-FEB	02575	40
59	Single, lifeTime™, 95%	T5995-LTVB	32545	40
59	Single, lifeTime™, 95%, CATV (UL)	T5995-LTVBV	32545V	41
59	Single Messengered, lifeTime™, 95%	T5995-LTVB-051M	32547	40
59	Siamese, lifeTime™, 95%	T5995SIAM-LTVB	32548	40
59	Siamese, lifeTime™, 95%, CATV (UL)	T5995SIAM-LTVBV	32548V	41
59	Siamese, 95%	T5995SIAM-VB	02548	40
59	Siamese, 95%, CATV (UL)	T5995SIAM-VBV	02548V	40
59	Single, Trishield, 53%	T59T53-VB	02602	40
59	Single, Trishield, 53%, CATV (UL)	T59T53-VBV	02602V	40
59	Single, Trishield, 53%, Colors	T59T53-VC	02600	40
59	Single, Trishield, 53%, Colors, CATV (UL)	T59T53-VCV	02600V	40
59	Single Messengered, Trishield, 53%	T59T53-VB-051M	02603	40
59	Single Flooded, Trishield, 53%	T59T53-FVB	02604	40
59	Single, lifeTime™, Trishield, 53%	T59T53-LTVB	32602	40
59	Single, lifeTime™, Trishield, 53%, CATV (UL)	T59T53-LTVBV	32602V	41
59	Single Messengered, lifeTime™, Trishield 53%	T59T53-LTVB-051M	32603	40
59	Single, Trishield, 80%	T59T80-VB	02607	40
59	Single, Trishield, 80%, CATV (UL)	T59T80-VBV	02607V	40
59	Single, Trishield, 80%, Colors	T59T80-VC	02605	40
59	Single, Trishield, 80%, Colors, CATV (UL)	T59T80-VCV	02605V	40
59	Single Messengered, Trishield, 80%	T59T80-VB-051M	02608	40
59	Single Flooded, Trishield, 80%	T59T80-FVB	02609	40
59	Single, lifeTime™, Trishield, 80%	T59T80-LTVB	32607	40
59	Single, lifeTime™, Trishield, 80%, CATV (UL)	T59T80-LTVBV	32607V	41
59	Single Messengered, lifeTime™, Trishield, 80%	T59T80-LTVB-051M	32608	40
6 Series Cable				
6	Single, 60%	T660-VB	02360	44
6	Single, 60%, CATV (UL)	T660-VBV	02360V	44
6	Single, 60%, CATVR (UL)	T660-VBR	02360R	45
6	Single, 60%, Colors	T660-VC	02391	44
6	Single, 60%, Colors, CATV (UL)	T660-VCV	02391V	44
6	Single Messengered, 60%	T660-VB-051M	02364	44
6	Single, Flooded, 60%	T660-FVB	02386	44
6	Single, Flooded, Polyethylene Jkt., 60%	T660-FEB	02321	44

T10 DROP CABLE SUMMARY

TIMES FIBER COMMUNICATIONS, INC.®

1-800-677-2288



NUMERICAL INDEX

Series	Construction	Part Number	MI	Page
6	Single, lifeTime™, 60%, Colors, CATV (UL)	T660-LTVCV	32391V	44
6	Single, Messengered, lifeTime™, 60%	T660-LTVB-051M	32364	44
6	Siamese, lifeTime™, 60%	T660SIAM-LTVB	32396	44
6	Siamese, lifeTime™, 60%, CATV (UL)	T660SIAM-LTVBV	32396V	44
6	Siamese, lifeTime™, 60%, CATVR (UL)	T660SIAM-LTVBR	32396R	45
6	Siamese, Messengered, lifeTime™, 60%	T660SIAM-LTVB-072M	32384	44
6	Siamese, 60%	T660SIAM-VB	02396	44
6	Siamese, 60%, CATV (UL)	T660SIAM-VBV	02396V	44
6	Siamese, 60%, CATVR (UL)	T660SIAM-VBR	02396R	45
6	Siamese, 60%, Colors	T660SIAM-VC	02356	44
6	Siamese, 60%, Colors, CATV (UL)	T660SIAM-VCV	02356V	44
6	Siamese, Messengered, 60%	T660SIAM-VB-072M	02384	44
6	Siamese, Flooded, 60%	T660SIAM-FVB	02353	44
6	Single, 90%	T690-VB	02560	44
6	Single, 90%, CATV (UL)	T690-VBV	02560V	44
6	Single, 90%, Colors	T690-VC	02591	44
6	Single, 90%, Colors, CATV (UL)	T690-VCV	02591V	44
6	Single, Messengered, 90%	T690-VB-051M	02564	44
6	Single, Flooded, 90%	T690-FVB	02586	44
6	Single, Flooded, Polyethylene Jkt., 90%	T690-FEB	02521	44
6	Siamese, 90%, CATV (UL)	T690SIAM-VBV	02596V	44
6	Single, lifeTime™, 90%	T690-LTVB	32560	44
6	Single, lifeTime™, 90%, CATV (UL)	T690-LTVBV	32560V	44
6	Single, lifeTime™, 90%, Colors, CATV (UL)	T690-LTVCV	32591V	44
6	Single, Messengered, lifeTime™, 90%	T690-LTVB-051M	32564	44
6	Siamese, Messengered, lifeTime™, 90%	T690SIAM-LTVB-072M	32584	44
6	Siamese, lifeTime™, 90%, CATV (UL)	T690SIAM-LTVBV	32596V	44
6	Siamese, Messengered, 90%	T690SIAM-VB-072M	02584	44
6	Siamese, Flooded, 90%	T690SIAM-FVB	02553	44
6	Single, Trishield, 60%	T6T60-VB	02622	44
6	Single, Trishield, 60%, CATV (UL)	T6T60-VBV	02622V	44
6	Single, Trishield, 60%, Colors	T6T60-VC	02620	44
6	Single, Trishield, 60%, Colors, CATV (UL)	T6T60-VCV	02620V	44
6	Single Messengered, Trishield, 60%	T6T60-VB-051M	02623	44
6	Single, lifeTime™, Trishield, 60%	T6T60-LTVB	32622	44
6	Single, lifeTime™, Trishield, 60%, CATV (UL)	T6T60-LTVBV	32622V	44
6	Single, lifeTime™, Trishield, 60%, Colors, CATV (UL)	T6T60-LTVCV	32620V	44
6	Single, Messengered, lifeTime™, Trishield, 60%	T6T60-LTVB-051M	32623	44
6	Single, Flooded, Trishield, 60%	T6T60-FVB	02624	44
6	Single, Flooded, Polyethylene Jkt., Trishield, 60%	T6T60-FEB	026H6	44
6	Single, Trishield, 80%	T6T80-VB	02627	44
6	Single, Trishield, 80%, CATV (UL)	T6T80-VBV	02627V	44
6	Single, Trishield, 80%, Colors	T6T80-VC	02625	44
6	Single, Trishield, 80%, Colors, CATV (UL)	T6T80-VCV	02625V	44
6	Single Messengered, Trishield, 80%	T6T80-VB-051M	02628	44
6	Single, lifeTime™, Trishield, 80%	T6T80-LTVB	32627	44
6	Single, lifeTime™, Trishield, 80%, CATV (UL)	T6T80-LTVBV	32627V	44
6	Single, lifeTime™, Trishield, 80%, Colors, CATV (UL)	T6T80-LTVCV	32625V	44
6	Single, Messengered, lifeTime™, Trishield, 80%	T6T80-LTVB-051M	32628	44
6	Single, Flooded, Trishield, 80%	T6T80-FVB	02629	44
6	Single, Flooded, Polyethylene Jkt., Trishield, 80%	T6T80-FEB	026K0	44
6	Single, 60%-40%	T6Q-VB	02260	44
6	Single, 60%-40%, CATV (UL)	T6Q-VBV	02260V	44
6	Single, 60%-40%, CATVR (UL)	T6Q-VBR	02260R	45
6	Single, 60%-40%, Colors	T6Q-VC	02291	44
6	Single, 60%-40%, Colors, CATV (UL)	T6Q-VCV	02291V	44
6	Single, 60%-40%, Colors, CATVR (UL)	T6Q-VCR	02291R	45



NUMERICAL INDEX

Series	Construction	Part Number	MI	Page
6	Single Messengered, 60%-40%	T6Q-VB-051M	02264	44
6	Single, Flooded, 60%-40%	T6Q-FVB	02286	44
6	Single, Flooded, Polyethylene Jkt., 60%-40%	T6Q-FEB	02221	44
6	Single, lifeTime™, 60%-40%	T6Q-LTVB	32260	44
6	Single, lifeTime™, 60%-40%, CATV (UL)	T6Q-LTVBV	32260V	44
6	Single, lifeTime™, 60%-40%, CATVR (UL)	T6Q-LTVBR	32260R	45
6	Single, lifeTime™, 60%-40%, Colors, CATV (UL)	T6Q-LTVCV	32291V	44
6	Single, Messengered, lifeTime™, 60%-40%	T6Q-LTVB-051M	32264	44
6	Siamese, lifeTime™, 60%-40%	T6QSIAM-LTVB	32296	44
6	Siamese, lifeTime™, 60%-40%, CATV (UL)	T6QSIAM-LTVBV	32296V	44
6	Siamese, Messengered, lifeTime™, 60%-40%	T6QSIAM-LTVB-072M	32284	44
6	Siamese, 60%-40%	T6QSIAM-VB	02296	44
6	Siamese, 60%-40%, CATV (UL)	T6QSIAM-VBV	02296V	44
6	Siamese, 60%-40%, Colors	T6QSIAM-VC	02256	44
6	Siamese, 60%-40%, Colors, CATV (UL)	T6QSIAM-VCV	02256V	44
6	Siamese, Messengered, 60%-40%	T6QSIAM-VB-072M	02284	44
6	Siamese, Flooded, 60%-40%	T6QSIAM-FVB	02253	44
7 Series Cable				
7	Single, 60%	T760-VB	02358	48
7	Single, 60%	T760-VB	02358	48
7	Single, 60%, CATV (UL)	T760-VBV	02358V	48
7	Single, 60%, CATVR (UL)	T760-VBR	02358R	48
7	Single, 60%, Colors	T760-VC	02373	48
7	Single, Messengered, 60%	T760-VB-072M	02371	48
7	Single, Flooded, 60%	T760-FVB	02372	48
7	Single, Flooded, 60%, Colors	T760-FVC	02300	48
7	Single, Flooded, Polyethylene Jkt., 60%	T760-FEB	02380	48
7	Single, lifeTime™, 60%	T760-LTVB	32358	48
7	Single, lifeTime™, 60%, CATVR (UL)	T760-LTVBR	32358R	48
7	Single, Messengered, lifeTime™, 60%	T760-LTVB-072M	32371	48
7	Single, lifeTime™, 76%	T776-LTVB	323N0	48
7	Single, Messengered, lifeTime™, 76%	T776-LTVB-072M	323P0	48
7	Single, Trishield, 80%	T7T80-VB	02680	48
7	Single, Trishield, 80%, Colors	T7T80-VC	02681	48
7	Single, Trishield, 80%, Colors, CATV (UL)	T7T80-VCV	02681V	48
7	Single, 60%-36%	T7Q60/36-VB	02258	48
7	Single, 60%-36%, CATV (UL)	T7Q60/36-VBV	02258V	48
7	Single, 60%-36%, CATVR (UL)	T7Q60/36-VBR	02258R	48
7	Single, 60%-36%, Colors	T7Q60/36-VC	02273	48
7	Single, Messengered, 60%-36%	T7Q60/36-VB-072M	02271	48
7	Single, Flooded, 60%-36%	T7Q60/36-FVB	02272	48
7	Single, Flooded, 60%-36%, Colors	T7Q60/36-FVC	02200	48
7	Single, Flooded, Polyethylene Jkt., 60%-36%, Colors	T7Q60/36-FEC	02201	48
7	Single, lifeTime™, 60%-36%	T7Q60/36-LTVB	32258	48
7	Single, lifeTime™, 60%-36%, CATVR (UL)	T7Q60/36-LTVBR	32258R	48
7	Single, Messengered, lifeTime™, 60%-36%	T7Q60/36-LTVB-072M	32271	48
11 Series Cable				
11	Single, 53%	T1153-VB	02362	52
11	Single, 53%, CATV (UL)	T1153-VBV	02362V	52
11	Single, 53%, Colors	T1153-VC	02390	52
11	Single, Messengered, 53%	T1153-VB-083M	02369	52
11	Single, Messengered, Polyethylene Jkt., 53%	T1153-EB-083M	02324	52
11	Single, Messengered, Polyethylene Jkt., 53%	T1153-EB-109M	02366	52

T10 DROP CABLE SUMMARY

TIMES FIBER COMMUNICATIONS, INC.®

1-800-677-2288



NUMERICAL INDEX

Series	Construction	Part Number	MI	Page
11	Single, Flooded, 53%	T1153-FVB	02382	52
11	Single, Flooded, Polyethylene Jkt., 53%	T1153-FEB	02381	52
11	Single, Flooded, 53%, Colors	T1153-FVC	02398	52
11	Single, Flooded, Polyethylene Jkt., 53%, Colors	T1153-FEC	02135	52
11	Single, lifeTime™, 53%	T1153-LTVB	32362	52
11	Single, lifeTime™, 53%, CATV (UL)	T1153-LTVBV	32362V	52
11	Single, Messengered, lifeTime™, 53%	T1153-LTVB-083M	32369	52
11	Single, Messengered, lifeTime™, Polyethylene Jkt., 53%	T1153-LTEB-109M	32366	52
11	Single, 60%	T1160-VB	023T2	52
11	Single, 60%, CATV (UL)	T1160-VBV	023T2V	52
11	Single, 60%, CATVR (UL)	T1160-VBR	023T2R	52
11	Single, 60%, Colors	T1160-VC	023U2	52
11	Single, Messengered, 60%	T1160-VB-083M	023V2	52
11	Single, Messengered, 60%	T1160-VB-109M	023VD	52
11	Single, Messengered, Polyethylene Jkt., 60%	T1160-EB-109M	023VE	52
11	Single, Flooded, 60%	T1160-FVB	023W2	52
11	Single, Flooded, Polyethylene Jkt., 60%	T1160-FEB	023W4	52
11	Single, Flooded, 60%, Colors	T1160-FVC	023W1	52
11	Single, Flooded, Polyethylene Jkt., 60%, Colors	T1160-FEC	023WA	52
11	Single, lifeTime™, 60%	T1160-LTVB	323T2	52
11	Single, lifeTime™, 60%, CATVR (UL)	T1160-LTVBR	323T2R	52
11	Single, Messengered, lifeTime™, 60%	T1160-LTVB-083M	323V2	52
11	Single, Trishield, 60%	T11T60-VB	02642	52
11	Single, Trishield, 60%, CATV (UL)	T11T60-VBV	02642V	52
11	Single, Trishield, 60%, Colors	T11T60-VC	02640	52
11	Single, Messengered, Trishield, 60%	T11T60-VB-083M	02643	52
11	Single, Flooded, Trishield, 60%	T11T60-FVB	02644	52
11	Single, Flooded, Trishield, Polyethylene Jkt., 60%	T11T60-FEB	026W4	52
11	Single, Flooded, Trishield, 60%, Colors	T11T60-FVC	026W1	52
11	Single, Flooded, Trishield, Polyethylene Jkt., 60%Colors	T11T60-FEC	026WA	52
11	Single, Trishield, lifeTime™, 60%	T11T60-LTVB	32642	52
11	Single, Messengered, Trishield, lifeTime™, 60%	T11T60-LTVB-083M	32643	52
11	Single, 53%-32%	T11Q53/32-VB	02262	52
11	Single, 53%-32%, CATV (UL)	T11Q53/32-VBV	02262V	52
11	Single, 53%-32%, Colors, CATV (UL)	T11Q53/32-VCV	02267V	52
11	Single, Messengered, 53%-32%	T11Q53/32-VB-083M	02269	52
11	Single, Messengered, Polyethylene Jkt., 53%-32%	T11Q53/32-EB-109M	02266	52
11	Single, Flooded, 53%-32%	T11Q53/32-FVB	02282	52
11	Single, Flooded, Polyethylene Jkt., 53%-32%	T11Q53/32-FEB	02281	52
11	Single, Flooded, 53%-32%, Colors	T11Q53/32-FVC	02298	52
11	Single, Flooded, Polyethylene Jkt., 53%-32%, Colors	T11Q53/32-FEC	02297	52
11	Single, lifeTime™, 53%-32%	T11Q53/32-LTVB	32262	52
11	Single, lifeTime™, 53%-32%, CATV (UL)	T11Q53/32-LTVBV	32262V	52
11	Single, Messengered, lifeTime™, 53%-32%	T11Q53/32-LTVB-083M	32269	52
11	Single, Messengered, lifeTime™, 53%-32%	T11Q53/32-LTVB-109M	322V7	52
11	Single, Messengered, lifeTime™, Polyethylene Jkt., 53%-32%	T11Q53/32-LTEB-109M	32266	52
11	Single, 60%-40%	T11Q-VB	022T2	52
11	Single, 60%-40%, CATVR (UL)	T11Q-VBR	022T2R	52
11	Single, Flooded, Polyethylene Jkt., 60%-40%	T11Q-FEB	022W4	52
11	Single, Flooded, Polyethylene Jkt., 60%-40%, Colors	T11Q-FEC	022WA	52
11	Single, Messengered, 60%-40%	T11Q-VB-109M	022V7	52
11	Single, lifeTime™, 60%-40%	T11Q-LTVB	322T2	52
11	Single, lifeTime™, 60%-40%, CATV (UL)	T11Q-LTVBV	322T2V	52
11	Single, lifeTime™, 60%-40%, CATVR (UL)	T11Q-LTVBR	322T2R	52
11	Single, Messengered, lifeTime™, 60%-40%	T11Q-LTVB-083M	322T1	52